



Toughsheet[™]
Building Products

Bespoke Data Sheet

Recycled Polythene Sheeting

01942 841111

sales@toughsheet.co.uk

Chequerbent Works,
Manchester Rd, Bolton,
United Kingdom

www.toughsheet.co.uk

Manufacturer/ Supplier

Frank Mercer & Sons, Chequerbent Works, Westhoughton, Bolton, BL5 3JF

Product Out-line

Recycled Polythene Sheeting for General purpose use

Manufacturer/ Supplier

Frank Mercer & Sons, Chequerbent Works, Westhoughton, Bolton, BL5 3JF

Dimension and Tolerance

Manufactured to Nominal

Tolerances

Length	- +/- 10%
Width	+/- 10%
Thickness	+/- 10%
Thickness	+ 400%

Appearance - May contain particles/ streaks, but holes are absent in film

Storage

Good code of practice must be used; Store in horizontal position not in direct sun light

N/B - sun Light (UV) may degrade this product

COSHH

Toxicity - LD Polythene are chemically non-reactive, biologically inert and can be regarded as harmless

Static - Polythene can acquire static electrical charges. Sparks are potentially dangerous in areas where flame or explosion hazards exist.

Skin Contact - No special measures Eye contact - No special measures

Inhalation - No special measures

Ingestion - No special measures

Fire Resistance

Extinguishing media: Use Dry Powder

Unsuitable Extinguishing: Do not use direct water jets in the early stages of extinguishing a fire as this may help to spread the flames. Do Not use water extinguishers in close proximity to live electrical installations.

Fire fighting: Seek advice from local Fire Authority

Disposal Of Product

Through normal trade waste outlets. F Mercer & Sons are a fully licensed Recycler and will recycle any polythene in line with the department of environment guidelines and standards.

01942 841111

sales@toughsheet.co.uk

Chequerbent Works,
Manchester Rd, Bolton,
United Kingdom

www.toughsheet.co.uk



Accredited
Reprocessor
DOE ER199846

Valpak
2001 Challenge
Award Winner
Recycling